

2006 Cervical Cancer Screening Supplement Provider File Data Dictionary  
Last modified 6/4/2014

Variable	Description	Type	Len	Values
BATCHCCS		N	3	1-150="valid range"
PHYID	Physician ID number	N	4	0001-3400="valid range, physician" 6001-7033 = "valid range, CHC"
WEBPAPER	Method used to complete supplement from NHAMCS-900	N	3	1="Clinic used paper" 2="Clinic used web" 3="Not applicable"
CCSSTYPE	Type of medical practice	N	3	1="Physician office" 2="OPD" 3="CHC"
ELIG	Eligibility for completing CCSS	N	3	1="Eligible for CCSS" 2="Not eligible for CCSS"
CCSSRESP	Response to CCSS	N	3	1="Responded" 2="Refused"
OBG	OBGYN Speciality	N	3	1="OBGYN" 2="Other"
SURVEY	Survey (NAMCS or NHAMCS)	N	3	1="NAMCS" 2="NHAMCS"
CCSFINALR	New/recoded final disposition for Cervical Cancer Screening Supplement	N	3	1="Completed paper" 2="Completed web" 3="Refused" 4="Does not perform screening" 5="Ineligible for CCS" 6="Other" 10="Traditional provider w/ CHC office" -9="Blank"
<b>CCSS Variables</b>				
1a PAPAN	Method used to screen for cervical cancer - conventional Pap test	N	3	1="Yes" 2="No" 3="Unknown" 9="Blank"

2006 Cervical Cancer Screening Supplement Provider File Data Dictionary  
Last modified 6/4/2014

1a(1)	INTCON	Interval for routine screening	N	3	1="Annually" 2="Every 2 years" 3="Every 3 years" 4="More than 3 years" 5="No routine interval recommended" 6="N/A" 8="Multiple entry" 9="Blank"
1b	PAPLIQD	Method used to screen for cervical cancer - liquid-based cytology	N	3	1="Yes" 2="No" 3="Unknown" 9="Blank"
1b(1)	INTLIQD	Interval for routine screening	N	3	1="Annually" 2="Every 2 years" 3="Every 3 years" 4="More than 3 years" 5="No routine interval recommended" 6="N/A" 8="Multiple entry" 9="Blank"
1c	PAPOTH	Method used to screen for cervical cancer - other	N	3	1="Yes" 2="No" 3="Unknown" 9="Blank"
1c	VPAPOTH	Verbatim for other PAP test	C	75	" "="No Entry Made" Other="Entry made"="Entry Made"
1c(1)	INTOTH	Interval for routine screening	N	3	1="Annually" 2="Every 2 years" 3="Every 3 years" 4="More than 3 years" 5="No routine interval recommended" 8="Multiple entry" 9="Blank"

2006 Cervical Cancer Screening Supplement Provider File Data Dictionary  
Last modified 6/4/2014

2	COLPO	Does practice perform colposcopy?	N	3	1="Yes" 2="No" 3="Unknown" 9="Blank"
3a	HPVDNAO	Does practice ever order or collect HPV DNA test?	N	3	1="Yes" 2="No" 3="Not aware of HPV DNA test" 4="Unknown" 8="Multiple entry" 9="Blank"
3b	HPVDNALL	All tests ordered or collected in practice	N	3	1="High risk HPV DNA test" 2="Low risk HPV DNA test" 3="Not aware of high/low test" 4="Unknown if high/low test" 6="N/A" 8="Multiple entry" 9="All blank"
3b(1)	HPVDNAHR	High risk HPV DNA test ordered or collected in practice	N	3	0="Box is not marked" 1="Box is marked" 2="N/A"
3b(2)	HPVDNALR	Low risk HPV DNA test ordered or collected in practice	N	3	0="Box is not marked" 1="Box is marked" 2="N/A"
3b(3)	HPVDNANA	Not aware there was a low or high risk HPV DNA test	N	3	0="Box is not marked" 1="Box is marked" 2="N/A"
3b(4)	HPVDNAUN	Unknown if low or high risk HPV DNA tests ordered or collected in clinic	N	3	0="Box is not marked" 1="Box is marked" 2="N/A"

2006 Cervical Cancer Screening Supplement Provider File Data Dictionary  
Last modified 6/4/2014

3c	YNODNALL	All reasons HPV DNA test not ordered in practice	N	3	1="Patients not seen" 2="Other tests used" 3="Access to colposcopy" 4="Not priority" 5="Labs do not offer" 6="Test not recommended" 7="Cost not covered" 8="Not discussed in STD context" 9="Takes too much time" 10="Clinicians uncomfortable" 11="Patients uncomfortable" 13="N/A" 88="Multiple entry" 99="All blank"
3c(1)	YNODNA1	Reason HPV DNA test not ordered - practice does not see type of patient for whom test is indicated	N	3	0="Box is not marked" 1="Box is marked" 2="N/A"
3c(2)	YNODNA2	Reason HPV DNA test not ordered - practice uses other tests	N	3	0="Box is not marked" 1="Box is marked" 2="N/A"
3c(3)	YNODNA3	Reason HPV DNA test not ordered - patients have timely access to colposcopy	N	3	0="Box is not marked" 1="Box is marked" 2="N/A"
3c(4)	YNODNA4	Reason HPV DNA test not ordered - not a priority	N	3	0="Box is not marked" 1="Box is marked" 2="N/A"
3c(5)	YNODNA5	Reason HPV DNA test not ordered - lab does not offer test	N	3	0="Box is not marked" 1="Box is marked" 2="N/A"
3c(6)	YNODNA6	Reason HPV DNA test not ordered - health plan does not recommend test	N	3	0="Box is not marked" 1="Box is marked" 2="N/A"

2006 Cervical Cancer Screening Supplement Provider File Data Dictionary  
Last modified 6/4/2014

3c(7)	YNODNA7	Reason HPV DNA test not ordered - test is not a covered service	N	3	0="Box is not marked" 1="Box is marked" 2="N/A"
3c(8)	YNODNA8	Reason HPV DNA test not ordered - cervical cancer screening not discussed in context of STD	N	3	0="Box is not marked" 1="Box is marked" 2="N/A"
3c(9)	YNODNA9	Reason HPV DNA test not ordered - counseling patient about positive test result would take too much time	N	3	0="Box is not marked" 1="Box is marked" 2="N/A"
3c(10)	YNODNA10	Reason HPV DNA test not ordered - counseling patient about positive test result would make clinician uncomfortable	N	3	0="Box is not marked" 1="Box is marked" 2="N/A"
3c(11)	YNODNA11	Reason HPV DNA test not ordered - counseling patient about positive test result would make patient uncomfortable	N	3	0="Box is not marked" 1="Box is marked" 2="N/A"
4a	HPVDNAR	If patient's screening Pap test is borderline or abnormal is reflex HPV DNA testing performed?	N	3	1="Yes" 2="No" 3="Unknown" 4="N/A" 9="Blank"
4b	ABPALLO	All abnormal and borderline Pap test results where practice would order HPV DNA Test	N	3	1="ASC-US" 2="ASC-H" 3="LSIL" 4="HSIL" 5="AGC" 6="N/A" 8="Multiple entry" 9="All blank"
4b(1)	ASCUSO	Abnormal or borderline Pap test result where practice would order HPV DNA test - ASC-US	N	3	0="Box is not marked" 1="Box is marked" 2="N/A"

2006 Cervical Cancer Screening Supplement Provider File Data Dictionary  
Last modified 6/4/2014

4b(2)	ASCHO	Abnormal or borderline Pap test result where practice would order HPV DNA test - ASC-H	N	3	0="Box is not marked" 1="Box is marked" 2="N/A"
4b(3)	LSILO	Abnormal or borderline Pap test result where practice would order HPV DNA test - LSIL	N	3	0="Box is not marked" 1="Box is marked" 2="N/A"
4b(4)	HSILO	Abnormal or borderline Pap test result where practice would order HPV DNA test - HSIL	N	3	0="Box is not marked" 1="Box is marked" 2="N/A"
4b(5)	AGCO	Abnormal or borderline Pap test result where practice would order HPV DNA test - AGC	N	3	0="Box is not marked" 1="Box is marked" 2="N/A"
4c	HPVDNAGE	Patients for which the practice orders reflex HPV DNA testing	N	3	1="Under 30 years old" 2="30 years and older" 3="Other" 6="N/A" 8="Multiple entry" 9="All blank"
4c(1)	HPVDNA29	For which patients does practice order reflex HPV DNA testing? Women 21 to 29 years	N	3	0="Box is not marked" 1="Box is marked" 2="N/A"
4c(2)	HPVDNA30	For which patients does practice order reflex HPV DNA testing? Women >=30 years	N	3	0="Box is not marked" 1="Box is marked" 2="N/A"
4c(3)	HPVDNAOR	For which patients does practice order reflex HPV DNA testing? Other	N	3	0="Box is not marked" 1="Box is marked" 2="N/A"
4c(3)	VHPVDNAO	For which patients does practice order reflex HPV DNA testing? Other - Verbatim	C	75	" "="No entry made" Other="Entry made" "N/A"="Not applicable"

2006 Cervical Cancer Screening Supplement Provider File Data Dictionary  
Last modified 6/4/2014

5a	RECALL	Does practice routinely recall patients for second HPV DNA test if screening Pap test is abnormal?	N	3	1="Yes" 2="No" 3="Unknown" 4="N/A" 9="Blank"
5b	ABPALLR	All abnormal or borderline Pap test result for which practice would recall patient for HPV DNA test	N	3	1="ASC-US" 2="ASC-H" 3="LSIL" 4="HSIL" 5="AGC" 6="N/A" 8="Multiple entry" 9="All blank"
5b(1)	ASCUSR	Abnormal or borderline Pap test result for which practice would recall patient for HPV DNA test - ASC-US	N	3	0="Box is not marked" 1="Box is marked" 2="N/A"
5b(2)	ASCHR	Abnormal or borderline Pap test result for which practice would recall patient for HPV DNA test - ASC-H	N	3	0="Box is not marked" 1="Box is marked" 2="N/A"
5b(3)	LSILR	Abnormal or borderline Pap test result for which practice would recall patient for HPV DNA test - LSIL	N	3	0="Box is not marked" 1="Box is marked" 2="N/A"
5b(4)	HSILR	Abnormal or borderline Pap test result for which practice would recall patient for HPV DNA test - HSIL	N	3	0="Box is not marked" 1="Box is marked" 2="N/A"
5b(5)	AGCR	Abnormal or borderline Pap test result for which practice would recall patient for HPV DNA test - AGCL	N	3	0="Box is not marked" 1="Box is marked" 2="N/A"
6a	HPVDNAA	Does practice order HPV DNA test at same time as Pap test (adjunct HPV testing?)	N	3	1="Yes" 2="No" 3="Unknown" 4="N/A" 9="Blank"

2006 Cervical Cancer Screening Supplement Provider File Data Dictionary  
Last modified 6/4/2014

6b	HPVPALL	Patients for which the practice routinely orders an HPV DNA test with a Pap test	N	3	1="Under 30 years old" 2="30 years and older" 3="Request CCS test" 4="Request HPV infection status" 6="N/A" 8="Multiple entry" 9="All blank"
6b(1)	HPVPAP29	For which patients does practice routinely order an HPV DNA test with the Pap test? Women 21 to 29 years	N	3	0="Box is not marked" 1="Box is marked" 2="N/A"
6b(2)	HPVPAP30	For which patients does practice routinely order an HPV DNA test with the Pap test? Women >=30 years	N	3	0="Box is not marked" 1="Box is marked" 2="N/A"
6b(3)	HPVPAPCS	For which patients does practice routinely order an HPV DNA test with the Pap test? Women who request for cervical cancer screening	N	3	0="Box is not marked" 1="Box is marked" 2="N/A"
6b(4)	HPVPAPST	For which patients does practice routinely order an HPV DNA test with the Pap test? Women who request to check HPV status	N	3	0="Box is not marked" 1="Box is marked" 2="N/A"
6b(5)	HPVPAPO	For which patients does practice routinely order an HPV DNA test with the Pap test? Other patient	N	3	0="Box is not marked" 1="Box is marked" 2="N/A"
6b(5)	VHPVPAPO	For which patients does practice routinely order an HPV DNA test with the PAP test? Other patient - Verbatim	C	75	" " ="No entry made" Other="Entry made" "N/A"="Not applicable"

2006 Cervical Cancer Screening Supplement Provider File Data Dictionary  
Last modified 6/4/2014

7(a)	PAPNLNOT	Prior Pap test results in past 5 years and current HPV DNA results - 2 consecutive normal Pap tests and has not had HPV DNA test	N	3	1="No follow-up needed" 2="Less than 6 months" 3="6 months to less than 1 year" 4="1 year" 5="2 years" 6="3 years or more" 7="Have no experience with this type of patient or test" 8="Multiple entry" 9="Blank"
7(b)	PAPNLNEG	Prior Pap test results in past 5 years and current HPV DNA results - 2 consecutive normal Pap tests and negative HPV DNA test result	N	3	1="No follow-up needed" 2="Less than 6 months" 3="6 months to less than 1 year" 4="1 year" 5="2 years" 6="3 years or more" 7="Have no experience with this type of patient or test" 8="Multiple entry" 9="Blank"
7(c)	PAPNLPOS	Prior Pap test results in past 5 years and current HPV DNA results - 2 consecutive normal Pap tests and positive HPV DNA test result	N	3	1="No follow-up needed" 2="Less than 6 months" 3="6 months to less than 1 year" 4="1 year" 5="2 years" 6="3 years or more" 7="Have no experience with this type of patient or test" 8="Multiple entry" 9="Blank"

2006 Cervical Cancer Screening Supplement Provider File Data Dictionary  
Last modified 6/4/2014

7(d)	PAPNONEG	Prior Pap test results in past 5 years and current HPV DNA results - has not had a Pap test and negative HPV DNA test result	N	3	1="No follow-up needed" 2="Less than 6 months" 3="6 months to less than 1 year" 4="1 year" 5="2 years" 6="3 years or more" 7="Have no experience with this type of patient or test" 8="Multiple entry" 9="Blank"
7(e)	PAPNOPOS	Prior Pap test results in past 5 years and current HPV DNA results - has not had a Pap test and positive HPV DNA test result	N	3	1="No follow-up needed" 2="Less than 6 months" 3="6 months to less than 1 year" 4="1 year" 5="2 years" 6="3 years or more" 7="Have no experience with this type of patient or test" 8="Multiple entry" 9="Blank"
7(f)	PAPABNEG	Prior Pap test results in past 5 years and current HPV DNA results - abnormal Pap test result and negative HPV DNA test result	N	3	1="No follow-up needed" 2="Less than 6 months" 3="6 months to less than 1 year" 4="1 year" 5="2 years" 6="3 years or more" 7="Have no experience with this type of patient or test" 8="Multiple entry" 9="Blank"

2006 Cervical Cancer Screening Supplement Provider File Data Dictionary  
Last modified 6/4/2014

7(g)	PAPABPOS	Prior Pap test results in past 5 years and current HPV DNA results - abnormal Pap test result and positive HPV DNA test result	N	3	1="No follow-up needed" 2="Less than 6 months" 3="6 months to less than 1 year" 4="1 year" 5="2 years" 6="3 years or more" 7="Have no experience with this type of patient or test" 8="Multiple entry" 9="Blank"
8	NBCCEDP	Is this practice currently participating in this state or national screening program (NBCCEDP)?	N	3	1="Yes" 2="No" 3="Unknown" 9="Blank"
9	PROFESS	Which of the following categories describe your profession?	N	3	1="Physician" 2="Physician assistant/Nurse practitioner/Nurse midwife" 3="Registered nurse" 4="Other clinic staff" 9="Blank"
Census Variable	REMARKS	Variable on raw data from Census. Unclear of intent.	C	75	" "="No entry made" Other="Entry made"
<b>VARIABLES DERIVED FROM VISIT FILE FROM NAMCS AND NHAMCS</b>					
	PCTF1524	Percent of visits by females 15-24 years of age seen in CCSS practice	N	3	0-100="Valid range" -9="Blank"
	PCTF2544	Percent of visits by females 25-44 years of age seen in CCSS practice	N	3	0-100="Valid range" -9="Blank"
	PCTF4564	Percent of visits by females 45-64 years of age seen in CCSS practice	N	3	0-100="Valid range" -9="Blank"
	PCTF65	Percent of visits by females 65 years of age and over seen in CCSS practice	N	3	0-100="Valid range" -9="Blank"
	CSPRIVINS	Percent of visits by females 15 years of age and over seen in CCSS practice who had private insurance	N	3	0-100="Valid range" -9="Blank"

2006 Cervical Cancer Screening Supplement Provider File Data Dictionary  
Last modified 6/4/2014

CSMCARE	Percent of visits by females 15 years of age and over seen in CCSS practice who had Medicare	N	3	0-100="Valid range" -9="Blank"
CSMCAID	Percent of visits by females 15 years of age and over seen in CCSS practice who had Medicaid	N	3	0-100="Valid range" -9="Blank"
CSNOINS	Percent of visits by females 15 years of age and over seen in CCSS practice who had no insurance (i.e. self-pay and no charge/ charity)	N	3	0-100="Valid range" -9="Blank"
CSPELVIC	Percent of visits by females 15 years of age and over seen in CCSS practice who had a pelvic exam	N	3	0-100="Valid range" -9="Blank"
CSPAPCONV	Percent of visits by females 15 years of age and over seen in CCSS practice who had a PAP test-conventional	N	3	0-100="Valid range" -9="Blank"
CSPAPLIQ	Percent of visits by females 15 years of age and over seen in CCSS practice who had a PAP test-liquid-based	N	3	0-100="Valid range" -9="Blank"
CSPAPUNSP	Percent of visits by females 15 years of age and over seen in CCSS practice who had a PAP test-unspecified	N	3	0-100="Valid range" -9="Blank"
CSPAPANY	Percent of visits by females 15 years of age and over seen in CCSS practice who had any type of PAP test	N	3	0-100="Valid range" -9="Blank"
CSHPVDNA	Percent of visits by females 15 years of age and over seen in CCSS practice who had an HPV DNA test	N	3	0-100="Valid range" -9="Blank"
<b>POPULATION VARIABLES FROM NAMCS AND NHAMCS</b>				
CSMEDHHY	Mean median household income for all visits by females 15 years of age and over seen in CCSS practice	N	6	-9="Blank" Other="Valid range"

2006 Cervical Cancer Screening Supplement Provider File Data Dictionary  
Last modified 6/4/2014

CSPCTBA	Mean percent with a bachelor's degree or more for all visits by females 15 years of age seen in CCSS practice	N	5	0-100="Valid range" -9="Blank"
CSPCTFB	Mean percent foreign for all visits by females 15 years of age seen in CCSS practice	N	5	0-100="Valid range" -9="Blank"
CSPCTHS	Mean percent with a high school diploma or higher for all visits by females 15 years of age seen in CCSS practice	N	5	0-100="Valid range" -9="Blank"
CSPCTENG	Mean percent not speaking English at all or very well for all visits by females 15 years of age seen in CCSS practice	N	6	0-100="Valid range" -9="Blank"
CSPCTPOV	Mean percent where income is below poverty level for all visits by females 15 years of age seen in CCSS practice	N	8	0-100="Valid range" -9="Blank"
ARFHYY	Median household income (2005)	N	6	-9="Blank" Other="Valid range"
ARFPPOV	Percent where income is below poverty level(2005)	N	3	0.01-100.00="Valid range" -9="Blank"
ARFPWNH	Percent of popn who is white, not Hispanic(2006)	N	3	0.01-100.00="Valid range" -9="Blank"
ARFPMCAID	Medicaid discharges per 1000 population(2005)	N	4	0.01-999.99="Valid range" -9="Blank"
ARFP65	Percent of popn who is 65 years and over(2002)	N	3	0.01-100.00="Valid range" -9="Blank"
ARFGROTOT	Percent change in total population 1996 to 2006	N	3	-76.00-136.00="Valid range" -9="Blank"
ARFGRO65	Percent change in population 65+ years, 1997 to 2007	N	3	-72.00-240.00="Valid range" -9="Blank"

2006 Cervical Cancer Screening Supplement Provider File Data Dictionary  
 Last modified 6/4/2014

	URBANRU	2006 NCHS urban-rural classification based on provider zip code	N	3	-9="Blank" 1="Large central metro" 2="Large fringe metro" 3="Medium metro" 4="Small metro" 5="Micropolitan (nonmetro)" 6="Noncore (nonmetro)"
<b>NAMCS VARIABLES</b>					
	SPECR	Numeric specialty (DOs dispersed) (updated if new specialty was given in NAMCS-1)	N	3	01="General/Family practice" 03="Internal Medicine" 04="Pediatrics" 05="General Surgery" 06="Obstetrics & Gynecology" 07="Orthopedic Surgery" 08="Cardiovascular Diseases" 09="Dermatology" 10="Urology" 11="Psychiatry" 12="Neurology" 13="Ophthalmology" 14="Otolaryngology" 15="Other specialties" 16="Oncologists" 99="Mid-level provider"
	REGION	Geographic region of provider - has been updated if new address was given in NAMCS-1.	N	3	1="NE" 2="MW" 3="S" 4="W"
	FIPSST	Physician state FIPS codes - updated from PII file. Created: ZIPPHY	C	2	"00"- "56"="Valid range"
	FIPSCNY	Physician county FIPS codes - updated from PII file. Created: ZIPPHY	C	3	"000"- "999"="Valid range"

2006 Cervical Cancer Screening Supplement Provider File Data Dictionary  
Last modified 6/4/2014

PHYSVV	Annual physician visit volume. Derived: OFFVISWK, NUMVISR	N	8	-9="Visit volume not calculated" 1-99999999="Valid range"
MSA	Metropolitan Status (2 categories)	N	3	1="MSA" 2="non-MSA"
MDDO	Doctor of Medicine (MD) or Doctor of Osteopathy (DO)	N	3	1="MD" 2="DO" 3="Mid-level provider"
DEGREE_R	What is the provider's highest medical degree? (recoded variable combining PRVDEGR and MDDO)	N	3	1="MD" 2="DO" 3="Nurse practitioner" 4="Physician assistant" 5="Nurse midwife" 6="Other" -9="No box is marked"
PHYRACE	Race of Physician. Physician Sample File and updated from PRVRACE for CHC providers	N	3	1="White, Non-Hispanic" 2="Black, Non-Hispanic" 3="Asian" 4="Hispanic" 7="Native American/Alaskans" 8="Other" -9="Unknown/Missing"
PHYSEX	Sex of Physician. Physician Sample File and updated from PRVSEX for CHC providers	N	3	1="Female" 2="Male" -9="Unknown/Missing"
FGRAD	Did physician graduate from a medical school in the US or Foreign? Recoded: Physician Sample File; for CHC provider updated from PRVFMS	N	3	1="Foreign school (GRADF)" 2="United States (GRADU)" -9="Blank"
YRGRAD_R	What year did the provider graduate medical school? (recoded variable combining PRVGRD and YRGRAD)	N	4	low-1959="Prior to 1960" 1960-1979="1960 - 1979" 1980-1999="1980 - 1999" 2000-2007="2000 - 2007" -9="Blank"

2006 Cervical Cancer Screening Supplement Provider File Data Dictionary  
Last modified 6/4/2014

BOARD_R	Is the provider primary board certified? (recoded variable combining PRVPBC and BOARDED)	C	50	1="Yes" 2="No" -9="Blank"
PYOB	Physician year of birth. From Physician Sample File and updated from PRVBYEAR for CHC providers	N	4	-9 ="Blank" 1900-1982="valid range"
MDAGE	Physician age; grouped. Recode from PYOB	N	3	1="Under 35 years" 2="35-44 years" 3="45-54 years" 4="55-64 years" 5="65 years and over" -9="Blank"
SIZE	Size of practice based on office with MAX ESTVIS. Derived from MAX(ESTVIS) & Q18b(1)- (4) [OTHPHY]	N	3	1="Solo based practice" 2-98="Number of physicians in practice" -9="Blank"
PRACTSIZ	Size of practice grouped based on SIZE. Recoded from SIZE	N	3	1="Solo practice" 2="Two physicians" 3="3 to 5 physicians" 4="6-10 physicians" 5="10-998 physicians" -9="Blank"
PRACTYPE	Type of practice	C	3	" " ="Blank" "020"="AMA-Direct patient care" "040"="AOA-Direct patient care" "100"="AMA-Unknown/missing" "200"="Sampled CHC"
TYPE	Type of practice. Recoded from SIZE and Q18d(1)-(4) [MULTI]	N	3	1="Solo and single specialty office" 2="Multi-specialty" -9="Missing"

2006 Cervical Cancer Screening Supplement Provider File Data Dictionary  
Last modified 6/4/2014

	OWNS	Ownership of practice, based on office with MAX ESTVIS. Derived from MAX(ESTVIS) and Q18f(1)-(4) [OWNS]	N	3	1="Physician or physician group" 2="HMO" 3="Community Health Center" 4="Medical academic health center" 5="Other hospital" 6="Other health care corporation" 7="Other" -9="No box is marked"
	SPECCAT	Physician specialty type. Recoded from SPECR & SPEC	N	3	1="Primary care specialty" 2="Surgical specialty" 3="Medical specialty" 4="Mid level provider"
	PRIMEMP	Primary present employment. All values are from the AMA masterfile, except 20 and 31 (from AOA masterfile).	N	3	. ="Blank" 11="AMA-Self-emp, solo prac" 13="AMA-Two phy. prac" 20="AOA-Office prac. solo" 21="AMA-Oth pat care/AOA-Off prac. partnp" 22="AOA-Office prac group" 30="AMA-Grp prac/AOA-Off prac HMO staff" 31="AOA-Office prac. walk-in clinic" 35="AMA-HMO" 40="AMA-Medical school" 64="AMA-County/Cty/State, not hosp." 110="AMA-No classification" 200="Sampled CHC"
	MAJPRACT	Major professional activity	C	3	"-9"="Blank" "PO"="Office based" "CHC"="Sampled CHC"
	ZIPPHY	Physician's zip code updated. If (PIIZIP) is not blank then use. Otherwise, use (ZIPPHYS). Created: PIIZIP and ZIPPHYS	C	5	" "="Blank" other="valid entry"

2006 Cervical Cancer Screening Supplement Provider File Data Dictionary  
Last modified 6/4/2014

FRAMATCH	Did CHC provider have a match to the AMA/AOA frame file. 2006 AMA/AOA frame file	N	3	1="CHC provider in frame file" 2="CHC provider did not have a match in frame file" 3="Traditional provider"
CRVCANSC	Does your practice offer any type of cervical cancer screening?	N	3	1="Yes" 2="No" -8="Don't Know" -9="No box is marked"
<b>SUDAAN VARIABLES FOR NAMCS AND NHAMCS</b>				
CSTRAT	Clustered PSU stratum marker	N	8	20100000-20499915="Cert PSU" 30100000-41300000="Prob PSU"
CPSU	Marker of PSU in which physician was sampled or physician marker.	N	6	100001-106980="Cert PSU" 1001-99001="Prob PSU"
PROVIDE	Provider code.	N	4	1-3400="valid range, physician" 6000-7033 = "valid range, CHC"
YEAR	Survey year	N	4	2006="Year: 2006"
SUBFILE	Survey identifier	N	3	1="NAMCS" 2="NHAMCS" 3="CHC"
PROSTRAT	Provider sampled specialty stratum.	N	3	1-18="valid range"
DEPT	Department (for use when combining NAMCS and NHAMCS and running SUDAAN)	N	3	1="Department"
CLINTYPE	Type of SU if used for stratification	N	3	1="SUSTRAT"
CLINIC	Hospital clinic code (for use when combining NAMCS and NHAMCS and running SUDAAN)	N	3	1="Clinic"
SU	Sample unit	N	3	1="Sample unit"
POPCPSU	Estimated number of in-scope providers w/in PSU and PROSTRAT	N	8	-1="Prob PSU" 1-99999999="Cert PSU"
POPCPROV	Estimated number of providers in CPSU	N	8	0="Prob PSU" 1="Cert PSU"

2006 Cervical Cancer Screening Supplement Provider File Data Dictionary  
Last modified 6/4/2014

	POPSU	Estimated eligible providers for CHC	N	3	0="Prob. PSU" -1="Cert PSU" 1="Traditional NAMCs sample"
	CCSSWT	Rounded adjusted ratio adjusted doctor weight for (SPECR= 1,3 or 6), general/family practice, internal medicine or OB/GYN specialties: PHYZWT weight for other physicians.  Adjusted CCSS question weight for GM and OBG clinics (if CCSSELIG=1 and CSDISP=1 or CCSSELIG=2). Clinic weight for all clinics not GM or OBG.	N	6	0="Out of scope or refused" 1-999999="All responding"
	PROVWT	Provider weight (PHYZWT, inscope physicians for NAMCS-1)	N	8	0="All responding doctors regardless of PRFs given" 1-99999999="Final = 1"
	PHYSWT	Physician weight for FINAL = 1on PII form.	N	8	0="Final <> 1" 1-99999999="Final = 1"
<b>NHAMCS VARIABLES</b>					
	CSDISP	NHAMCS-906 Disposition for AU	N	3	1="Yes, completed supplement" 2="Refused--given form but did not complete supplement" 3="Clinic reported no or unknown to CCS but recorded visits with cervical cancer screening tests" -7="Not applicable not an OBG or GM clinic or eligible clinic that does not conduct cervical cancer testing" -8="Unknown"
	CCSSELIG	Eligibility of AU for NHAMCS-906 (edited variable that represents info from 101U without changes made to clinics from visit file)	N	3	1="Eligible, conducts cervical cancer screening; NHAMCS 906 left" 2="Not eligible" -7="Not applicable; not an OBG or GM clinic" -8="Unknown if eligible" -9="Blank"
	BATCH906	Batch ID	N	3	1-999="Valid range" 999 = "Blank"
	SUPFORM	Supplemental form number	N	3	906="NHAMCS906"

2006 Cervical Cancer Screening Supplement Provider File Data Dictionary  
Last modified 6/4/2014

	MON101	Month hospital is in sample.	N	3	1-12="Valid range" -9="Blank"
	HOSP	Hospital ID number	N	3	1-799="Valid range"
	DAY101	Day of month hospital is in sample.	N	3	1-31="Valid range" -9="Blank"
	TEACHOSP	Is this a teaching hospital?	N	3	1="Yes" 2="No" -9="Blank"
	BESTVVOP	Best annual OPD volume	N	7	0-9999999="Valid range"
	METRSTAT	Metro status from latest SMG file (3 category)	N	3	1="Metropolitan" 2="Micropolitan" 3="Non-metropolitan (neither)"
	SMGOWN	Hospital ownership from SMG file	N	3	0="Missing" 1="Voluntary, non-profit" 2="Government" 3="Proprietary"
	SMGTOS	Service code for primary type of care offered	C	2	10="General med/surg" 11="Hosp unit of institution" 12="Hosp unit within an institution for MR" 22="Psychiatric" 33="TB& other resp dis" 44="Maternity" 45="EENT" 46="Rehab" 47="Orthopedic" 48="Chronic disease" 49="Other specialty" 50="Children's general" 51="Children's hosp unit of institution"
	SMGOPVIS	Number of annual OPD visits	N	7	0-1491315="Valid range"
	SMGMSAFF	Medical school affiliation	N	3	1="Yes" 2="No" -9="Blank"

2006 Cervical Cancer Screening Supplement Provider File Data Dictionary  
 Last modified 6/4/2014

	SMGTHOSP	Teaching hospital	N	3	1="Yes" 2="No" -9="Blank"
	SMGZIP	Zip code of hospital	C	5	" " = "Blank" "00501"-"99950"="Valid range"